

STATE WHEN ORDERING

- COW = mm
- CL = mm
- SBL = mm
- LAP = mm
- G = mm
- DW = mm
- Door weight= kg

Surface treatment
Silver anodized

	Alt. 1	Alt. 2		
Overlap (min. 20mm)	LAP	LAP	x2 =
Finger protection (min. 25mm)	E	E	x2 =
Finger protection (min. 25mm)	-	F	x2 =
Jamb width (min. 30mm)	J	J	x2 =
Leading edge width	-	P	x2 =
Sum of above			Sum =	

Alt.1 COW = K	K=	(K + 2LAP - G) / 2 = DW	DW =
Alt.2 COW + 2P + 2F = K	K=		DW =
Cover length CL	(CL - Sum) / 2 =		= COW max.
Door travel COW	(COW x2) + Sum =		= CL min.

Customer:

Door id:

Project No:

Ref:







Date:

Sign:

Sliding door operator
ASSA ABLOY SL300-2
Art. No. 1021149
Art. No. 1021150
Art. No. 1021151

ASSA ABLOY

1.0 1021177-en



STATE WHEN ORDERING

- COW = mm
- CL = mm
- SBL = mm
- LAP = mm
- G = mm
- DW = mm
- Door weight = kg

Surface treatment
Silver anodized

	Alt. 1	Alt. 2	
Overlap (min. 20mm)	LAP	LAP
Finger protection (min. 25mm)	E	E
Finger protection (min. 25mm)	-	F
Jamb width (min. 30mm)	J	J
Cover overlap (min. 100mm)	M	M
Leading edge width	-	P
Sum of above	Sum =		

Alt.1 COW = K	K =	K + LAP - G = DW	DW =
Alt.2 COW + P + F = K	K =		
Cover length CL	(CL - Sum) / 2 = = COW max.		
Door travel COW	(COW x2) + Sum = = CL min.		

Customer:

Door id:

Project No:

Ref:







Date:

Sign:

Sliding door operator
ASSA ABLOY SL300-L
Art. No. 1021149
Art. No. 1021150
Art. No. 1021151

ASSA ABLOY

1.0 1021177-en



STATE WHEN ORDERING

- COW = mm
- CL = mm
- SBL = mm
- LAP = mm
- G = mm
- DW = mm
- Door weight = kg

Surface treatment
 Silver anodized

	Alt. 1	Alt. 2	
Overlap (min. 20mm)	LAP	LAP
Finger protection (min. 25mm)	E	E
Finger protection (min. 25mm)	-	F
Jamb width (min. 30mm)	J	J
Cover overlap (min. 100mm)	M	M
Leading edge width	-	P
Sum of above	Sum =		

Alt. 1 COW = K K = K + LAP - G = DW DW =

Alt. 2 COW + P + F = K K = K + LAP - G = DW DW =

Cover length CL (CL - Sum) / 2 = = COW max.

Door travel COW (COW x2) + Sum = = CL min.

Customer:

Door id:

Project No:

Ref:

Date:

Sign:

Sliding door operator
 ASSA ABLOY SL300-R
 Art. No. 1021149
 Art. No. 1021150
 Art. No. 1021151

ASSA ABLOY

1.0 1021177-en